



## Passepartout parete bianco



16 cm  
6 1/4"


22 cm  
8 5/8"





17,5 cm  
6 7/8"







luminaire	
code	1164H
finish	matt white enamel, diamond-finished
	aluminium structure
materials	aluminium, steel
environment	interiors
mounting location	wall
emission	indirect light
weight	0,9 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut (compatible with remote Casambi Bluetooth dimmer)
IP classification	IP20
certifications	CE
design	Luta Bettonica, 2015



light source	
source	LED
number of LED	1
power	18W
flux	2.200 lm
CRI	95
colour temperature	2.800K



finish / code			
			
matt white cod 1164H	matt black cod 1165H	polished chrome cod 1150H	polished brass cod 1161H

versions			
			
Passepartout parete	Passepartout terra	Passepartout55 sopratavolo	Passepartout25 sopratavolo

## Passepartout parete nero



16 cm  
6 1/4"


22 cm  
8 5/8"





17,5 cm  
6 7/8"







luminaire	
code	1165H
finish	matt black enamel, diamond-finished
	aluminium structure
materials	aluminium, steel
environment	interiors
mounting location	wall
emission	indirect light
weight	0,9 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut (compatible with remote Casambi Bluetooth dimmer)
IP classification	IP20
certifications	CE
design	Luta Bettonica, 2015



light source	
source	LED
number of LED	1
power	18W
flux	2.200 lm
CRI	95
colour temperature	2.800K



finish / code			
			
matt white cod 1164H	matt black cod 1165H	polished chrome cod 1150H	polished brass cod 1161H

versions			
			
Passepartout parete	Passepartout terra	Passepartout55 sopratavolo	Passepartout25 sopratavolo

## Passepartout parete cromo



16 cm  
6 1/4"


22 cm  
8 5/8"





17,5 cm  
6 7/8"







luminaire	
code	1150H
finish	polished chrome, diamond-finished
	aluminium structure
materials	aluminium, steel
environment	interiors
mounting location	wall
emission	indirect light
weight	0,9 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut (compatible with remote Casambi Bluetooth dimmer)
IP classification	IP20
certifications	CE
design	Luta Bettonica, 2015



light source	
source	LED
number of LED	1
power	18W
flux	2.200 lm
CRI	95
colour temperature	2.800K



finish / code			
			
matt white cod 1164H	matt black cod 1165H	polished chrome cod 1150H	polished brass cod 1161H

versions			
			
Passepartout parete	Passepartout terra	Passepartout55 sopratavolo	Passepartout25 sopratavolo

## Passepartout parete ottone



16 cm  
6 1/4"


22 cm  
8 5/8"





17,5 cm  
6 7/8"







luminaire	
code	1161H
finish	polished brass, structure in matt brass enamel
materials	aluminium, steel
environment	interiors
mounting location	wall
emission	indirect light
weight	0,9 kg
voltage	230V
ballast	integrated electronic dimmable
dimming	phase-cut (compatible with remote Casambi Bluetooth dimmer)
IP classification	IP20
certifications	CE
design	Luta Bettonica, 2015

light source	
source	LED
number of LED	1
power	18W
flux	2.200 lm
CRI	95
colour temperature	2.800K



finish / code			
			
matt white cod 1164H	matt black cod 1165H	polished chrome cod 1150H	polished brass cod 1161H

versions			
			
Passepartout parete	Passepartout terra	Passepartout55 sopratavolo	Passepartout25 sopratavolo